

CIBA/26-27/185

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687708764677

अनुबंध तिथि | Generated Date : 06-Jul-2026

खरीद का माध्यम | Procurement Mode: Lowest price by comparison(L1)

संगठन विवरण | Organisation Details

प्ररूप | Type : Central Autonomous
 मंत्रालय | Ministry : Ministry of Agriculture and Farmers Welfare
 विभाग | Department : Department of Agricultural Research and Education (DARE)
 संगठन का नाम | Organisation Name : Indian Council of Agricultural Research (ICAR)
 कार्यालय क्षेत्र | Office Zone : Central Institute Of Brakishwater Aquaculture

खरीदार विवरण | Buyer Details

पद | Designation : Scientist Navsari
 संपर्क नंबर | Contact No. : 02697-283509-
 ईमेल आईडी | Email ID : jose.antony@icar.org.in
 जीएसटीआईएन | GSTIN : 33AAAAI1830P1ZQ
 Navsari-Gujarat Research Centre (NGRC), ICAR-CIBA, Navsari
 Agricultural University (NAU) campus, Dandi Rd, Erugam,
 Navsari, Gujarat 396450,
 Navsari, GUJARAT-396450, India

वित्तीय स्वीकृति विवरण | Financial Approval Detail

आईएफडी सहमति | IFD Concurrence : No
 प्रशासनिक अनुमोदन का पदनाम | Designation of Administrative Approval: The Director
 वित्तीय अनुमोदन का पदनाम | Designation of Financial Approval: The Director

भुगतान प्राधिकरण विवरण | Paying Authority Details

Role: BUYER
 भुगतान का तरीका | Payment Mode: Offline
 पद | Designation : Scientist Navsari
 ईमेल आईडी | Email ID : jose.antony@icar.org.in
 जीएसटीआईएन | GSTIN : 33AAAAI1830P1ZQ
 Navsari-Gujarat Research Centre (NGRC), ICAR-CIBA, Navsari
 Agricultural University (NAU) campus, Dandi Rd, Erugam,
 Navsari, Gujarat 396450,
 Navsari, GUJARAT-396450, India

विक्रेता विवरण | Seller Details

जेम विक्रेता आईडी | GeM Seller ID : 0514180000683063
 कंपनी का नाम | Company Name : DUALLIFE SCIENCE PRIVATE LIMITED
 संपर्क नंबर | Contact No. : 08390095759
 ईमेल आईडी | Email ID : info@duallife.in
 पता | Address : SHOP NO 212,,PLATINUM PLAZA,V T NAGAR ROAD,,SARTHANA JAKATNAKA,
 Surat, GUJARAT-395006, -
 एमएसएमई पंजीकरण संख्या | MSME Registration number : UDYAM-GJ-22-0020212
 जीएसटीआईएन | GSTIN : 24AAGCD6504R1ZB (R)
 एमएसई सामाजिक श्रेणी | MSE Social Category : General
 एमएसई लिंग श्रेणी | MSE Gender : Female

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Buyer

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण | Product Details

#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR) में सभी शुल्क और कर सहित Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : INVITROGEN 1MByte/s Automated Cell Counter ब्रांड Brand : INVITROGEN ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Automated Cell Counter (Q2) मॉडल Model: AMQAX2000 एचएसएन कोड HSN Code: HSN not specified by seller उद्गम देश Country Of Origin: Singapore	1	pieces	364,999.99	NA	364,999.99

कुल ऑर्डर मूल्य | Total Order Value (in INR)

364,999.99

परोक्षी विवरण | Consignee Detail

क्र.सं. S.No	परोक्षी Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery To Be
----------------	---------------------	--------------	--------------------	-------------------	---

					Delivery Start After	Completed By
1	पद Designation : Scientist Navsari ईमेल आईडी Email ID : jose.antony@icar.org.in संपर्क Contact : 02697-283509- जीएसटीआईएन GSTIN : 33AAAAI1830P1ZQ पता Address : Navsari-Gujarat Research Centre (NGRC), ICAR-CIBA, Navsari Agricultural University (NAU) campus, Dandi Rd, Erugam, Navsari, Gujarat 396450, Navsari, GUJARAT-396450, India	INVITROGEN 1MByte/s Automated Cell Counter	-	1	06-Jul-2026	21-Jul-2026

Product Specification for INVITROGEN 1MByte/s Automated Cell Counter

विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value
CONFIGURATION	Storage conditions Temperature	15 Deg C to 30 Deg C
	Rechargeable/Battery	3.7 V lithium ion battery
	Storage Maximum Relative Humidity	20-80% (non-condensing)
	Operating Temperature (Deg C)	15 Deg C to 25 Deg C
	Charging Station to Recharge Battery	Input 100-240 V~ (50/60 Hz), 0.2 A Output 5 Vdc, 1 A
	Handheld Instrument	No
	Operating Maximum Relative Humidity	20-80% (non-condensing)
	Wireless (Wi-Fi, WLAN) Network	1MByte/s
	Bluetooth Network	Bluetooth 2.4 Ghz Low Energy features
	Particle Size	6-36 µm
Test Report	Address of the Lab	NA
	Test Report Number	NA
	Test Report Date	NA
	Availability of Type Test Report for conformity of parameters from any ILAC/NABL accredited/Central Gov. LAB .	NA
	Name of the Lab	NO
Test Reports	Test report to be submitted to the Buyer on Demand	NA

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:2 effective from 18-11-2022

- 1.1
- All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
 - The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
 - The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
 - Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
 - Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
 - Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
 - Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transhipment (if any), rough handling, open storage etc. without any damage, deterioration etc. The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination, Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any

other relevant details.

8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available. OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most competitive price for spares and consumables of its machines/equipments supplied.
9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software: All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

- 2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.
- 2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable
- 2.3 All GeM Sellers / Service Providers are mandated to ensure compliance with all the applicable laws / acts / rules including but not limited to all Labour Laws such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972 etc. Any non-compliance will be treated as breach of contract and Buyer may take suitable actions as per GeM Contract.

Note:

1. Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Dr. Tandel Riteshkumar Shantilal, Sr. SO

File no - 1-12/26-27/ST

Comp no - 442210

Note # 6

Date - 02/07/26

fund - GITA Capital