

CIBA/26-27/378

अनुबंध | Contract



अनुबंध क्रमांक | Contract No: GEMC-511687792762901

अनुबंध तिथि | Generated Date : 14-Aug-2026

खरीद का माध्यम | Procurement Mode: Lowest price by comparison(L1)

संगठन विवरण Organisation Details	खरीदार विवरण Buyer Details
प्रारूप Type : Central Autonomous	पद Designation : Scientist Navsari
मंत्रालय Ministry : Ministry of Agriculture and Farmers Welfare	संपर्क नंबर Contact No. : 02697-283509-
विभाग Department : Department of Agricultural Research and Education	ईमेल आईडी Email ID : jose.antony@icar.org.in
(DARE)	जीएसटीआईएन GSTIN : 33AAAAI1830P1ZQ
संगठन का नाम Organisation Name : Indian Council of Agricultural Research (ICAR)	Navsari-Gujarat Research Centre (NGRC), ICAR-CIBA, Navsari
कार्यालय क्षेत्र Office Zone: Central Institute Of Brakishwater Aquaculture	Agricultural University (NAU) campus, Dandi Rd, Erugam, Navsari, Gujarat 396450, Navsari, GUJARAT-396450, India

वित्तीय स्वीकृति विवरण Financial Approval Detail	भुगतान प्राधिकरण विवरण Paying Authority Details
आईएफडी सहमति IFD Concurrence : No	Role: BUYER
प्रशासनिक अनुमोदन का पदनाम Designation of Administrative Approval: The Director	भुगतान का तरीका Payment Mode: Offline
वित्तीय अनुमोदन का पदनाम Designation of Financial Approval: The Director	पद Designation : Scientist Navsari
	ईमेल आईडी Email ID : jose.antony@icar.org.in
	जीएसटीआईएन GSTIN : 33AAAAI1830P1ZQ
	Navsari-Gujarat Research Centre (NGRC), ICAR-CIBA, Navsari
	Agricultural University (NAU) campus, Dandi Rd, Erugam, Navsari, Gujarat 396450, Navsari, GUJARAT-396450, India

विक्रेता विवरण Seller Details
जेम विक्रेता आईडी GeM Seller ID : 0U8V210002282572
कंपनी का नाम Company Name : LIFIC
संपर्क नंबर Contact No. : 06380663058
ईमेल आईडी Email ID : lific.info@gmail.com
पता Address : 329, Netaji Bose 10th Street, Netaji Bose 10th Street, Phase III, Sathuvachari, Vellore, TAMIL NADU-632009, -
एमएसएमई पंजीकरण संख्या MSME Registration number : -
जीएसटीआईएन GSTIN: 33ARPPJ43461ZJ (R)

*जिसके नाम के पक्ष में GST/TAX इनवॉइस पेश किया जाएगा | GST / Tax invoice to be raised in the name of - Consignee

वितरण निर्देश | Delivery Instructions : NA

उत्पाद विवरण Product Details						
#	आइटम विवरण Item Description	आइटम विवरण Ordered Quantity	इकाई Unit	इकाई मूल्य (INR) Unit Price (INR)	कर विभाजन (INR) Tax Bifurcation (INR)	मूल्य (INR में सभी शुल्क और कर सहित) Price (Inclusive of all Duties and Taxes in INR)
1	उत्पाद का नाम Product Name : Thermo Scientific Refrigerated Centrifuge with LCD display ब्रांड Brand : Thermo Scientific ब्रांड प्रकार Brand Type : Registered Brand कैटलॉग की स्थिति Catalogue Status: OEM verified catalogue कैसे बेचा जा रहा है Selling As : OEM verified Reseller श्रेणी का नाम और चतुर्थांश Category Name & Quadrant : Refrigerated Centrifuge For General And Research Purpose (Q3) मॉडल Model: 75009101 एचएसएन कोड HSN Code: 84219100 उद्गम देश Country Of Origin: India, Germany	1	pieces	994,998	NA	994,998
कुल ऑर्डर मूल्य Total Order Value (in INR)						994,998

परेषिती विवरण Consignee Detail						
क्र.सं. S.No	परेषिती Consignee	वस्तु Item	लॉट नंबर Lot No.	मात्रा Quantity	दिनांक के बाद डिलीवरी शुरू करना है Delivery Start	वितरण पूरा कब तक करना है Delivery To Be Completed

					After	By
1	पद Designation : Scientist Navsari ईमेल आईडी Email ID : jose.antony@icar.org.in संपर्क Contact : 02697-283509- जीएसटीआईएन GSTIN : 33AAAAI1830P1ZQ पता Address : Navsari-Gujarat Research Centre (NGRC), ICAR-CIBA, Navsari Agricultural University (NAU) campus, Dandi Rd, Erugam, Navsari, Gujarat 396450, Navsari, GUJARAT-396450, India	Thermo Scientific Refrigerated Centrifuge with LCD display	-	1	14-Aug-2026	29-Aug-2026
Product Specification for Thermo Scientific Refrigerated Centrifuge with LCD display						
विनिर्देश Specification	उप-विनिर्देश Sub-Spec	मूल्य Value				
Standards	Conformity to standards	European CE (Notified Body)With 4 Digit Notified Body No.				
	Certificate date and number	NA				
Performance Parameters	Purpose	NA				
	Centrifuge design	Bench Top				
	Weight including Rotor in kgs	71				
	Maximum RPM with no load	15200				
	"Number of steps of RPM Variation available in the settings (correspondingly RCF also varies) "	1				
	RPM setting accuracy	plus minus 5%				
	Type of Motor	Brushless(without carbons)				
	Accessories	instruction manual book				
	Type of lid lock	click seal biocontainment lid				
	Maximum Noise level whemn working at 1 meter distance in db	16				
	Ambient operating Temperature range in Degree centigrade Celsius and humidity range	-9 deg C to +40 deg C, per 1 deg C increment				
	Rotor imbalance diagnostics and automatic stop if required	Yes				
	No of acceleration and deceleration profiles in built for rotor speed while automatic braking	Time Set Range 1 min – 99 min; 1 min increments				
	Maximum timer set point	60 minutes				
	Parameters to be displayed by the digital display	RPM,RCF,Set time,Run time,Rotor running indication ,imbalancing if any				
	Display Type	LCD				
	Speed controller	Microprocessor controlled pre programmed speed controller which can control RPM as well as RCF				
	Speed Control tolerance in case of set speed (Plus minus RPM) in percentage	20				
	Temperature controller	Micro processor based PID Digital temperature controller cum Indicator, (With LCD Display) to control the Temperature from +40° C up to -20°C				
	Configuration of Rotor supplied with centrifuge machine	swing out and angle rotor				
	Rotor Feature with reference to Autoclavability	Autoclavable Rotor @121 Degree Celsius				
	Type of Tubes which can be used with centrifuge machine	Polypropylene Centrifuge tubes and Glass centrifuge tubes				
	Size of rotor supplied with centrifuge in ml	"6x50 mL(for angle rotor) RPM 13000", "24X2 ml(for angle rotor) RPM 16000", "8X15 ml(for angle rotor) RPM 13000"				
	Maximum RCF	25380				
	Power supply	220 Volts 50 Hz AC ± 10%				
	Power consumption in watts	750				
	Length of the Centrifuge in mm	670				
	Width of the Centrifuge in mm	460				
	Height of of the Centrifuge in mm	700				
	Length of Power cord in meters	2				
	Refrigerant should be CFC free	Yes				
	Temperature of refrigerator in degree Celsius	upto -20°C				
	Cooling arrangement	Through suitable compressor, radiator, Cooling fan and its Cooling Kit				

	Temperature control accuracy	± 2°C
	Warranty period for equipment & Rotor (on site and comprehensive warranty) in years	5
	Maximum Noise level when working at 1 meter distance in db	56
Material Parameters	Assembly Material for manufacture of Centrifuge	Die cast Aluminum, Aluminum sheet, Stainless Steel, CRC Steel, Plastic and Rubber
	"Lid Material of Centrifuge "	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding
	Body material of Centrifuge	C.R.C Steel Finish with Powder Coating/ Stove Painting.
	Front Panel of centrifuge	CRC Steel finish with powder coating or stove painting or ABS Plastic of injection moulding
	Centrifuge Bowl material in Centrifuge	Double walled with PUF Insulation to avoid loss of Cooling. Inner Chamber made of 304 Quality Stainless Steel Moulded
	Material of Rotor	Aluminium
Additional Parameters	Condensed Water Drainage System	No
	The Equipment shall be installed and demonstrated before Acceptance	Yes
	Servo Controller Voltage Stabilizer supplied with Item	Yes
	Servo stabilizer ratings in KVA	2
	Warranty of stabilizer in years	NA(If no stabilizer provided)
	Auto cut off	Yes
	Timer provided	Yes
Reports	Certifications of Manufacturer	ISO 9001:2015
	ISO Certificate date and number	NA
	Copies of all certifications and reports to be provided to buyer on demand at time of supplies	Yes

ईपीबीजी विवरण | ePBG Detail

NA

नियम और शर्तें | Terms and Conditions

1. Special terms and conditions- Version:3 effective from 11-11-2022

1.1

1. All Provisions of Drugs and Cosmetics Act, 1940 and Rules made there under as amended till date will always be applicable. This will include all notifications issued by Central Drugs Standard Control Organisation (CDSCO), Ministry of Health & Family Welfare (MoHFW) and Department of Pharmaceuticals (DOP), Ministry of Chemicals & Fertilizers time to time in this regard.
2. The sellers are registered on GeM based on self-declaration of valid Drug License, product certification, test reports etc. However, buyers must check and validate the details at their end for all applicable licenses and certifications e.g., validity and authenticity/genuineness of drug license, product certification, manufacturer certification/licenses, test reports etc.
3. The price offered by the seller shall not, in any case exceed the DPCO controlled price, if any, fixed by the Central/State Government, the Maximum Retail Price (MRP) and the selling price. The seller must reduce the prices if there is any reduction in DPCO ceiling price, if any.
4. Comprehensive warranty: Comprehensive warranty shall include preventive maintenance including calibration as per technical/ service /operational manual of the manufacturer, service charges and spares. During the warranty period commencing from date of the successful completion of warranty period, Service personnel shall visit each consignee site as recommended in the manufacturer's technical/ service /operational manual, at least once in six months. warranty shall not be including the consumables. Further there will be 98% uptime warranty during warranty period on 24 (hrs) X 7 (days) X 365 (days) basis, with penalty, to extend warranty period by double the downtime period.
5. Service centres: Details of Service outlets in India to render services for equipment to be furnished to buyer/consignees with complete address, telephone numbers, e mails etc at time of making the supplies. It shall be the responsibility of seller to ensure that authorized service centres are available to cater to the areas where supplies are made within reasonable distance from where the service calls can be handled. Details of toll-free numbers for service call and online registration of service requests also to be provided buyer/consignee at the time of supplies.
6. Source of supply: It shall be responsibility of seller to provide Documents regarding source of equipments such as copy of Performa invoice or any other documents to establish that the products supplied are manufactured by OEM indicated and sourced from them.
7. Packing and Marking: Medical equipments being very delicate and sensitive packing for the goods should be strong and durable enough to withstand transit including transshipment (if any), rough handling, open storage etc. without any damage, deterioration etc. .The size, weights and volumes of the packing cases, remoteness of the final destination of the goods, availability or otherwise of transport and handling facilities at all points during transit up to final destination,. Quality of packing, the manner of marking within & outside the packages and provision of accompanying documentation shall take into consideration the type of medical equipments being supplied. The accessories shall be suitably labelled and packed. Each of the package shall be marked on three sides with indelible paint of proper quality: indicating contract number and date, brief description of goods including quantity, Packing list reference number, country of origin of goods and any other relevant details.
8. Spare Parts: Seller shall provide materials, information etc. pertaining to spare parts manufactured and supplied by the OEM. It shall be ensured that the required spares are available for purchase at least for 10 years from date of supplies. In case due to any reasons the production of the spare parts is discontinued sufficient

advance notice should be given to the buyer/consignee before such discontinuation to provide adequate time to purchase the required spare parts etc. Further, OEM and their service centres/dealers shall carry sufficient inventories to assure ex-stock supply of consumables and spares for the equipments so that the same are available.

OEM or reseller shall always accord most favoured client status to the buyer/consignee and shall give the most

competitive price for spares and consumables of its machines/equipments supplied.

9. Installation, Training, Manuals: Seller shall be responsible to carry out Installation & commissioning, Supervision and Demonstration of the goods. They shall provide required jigs and tools for assembly, minor civil works for the completion of the installation and Training of Consignee's representatives for operating and maintaining the equipment and supplying required number of operation & maintenance manual for the goods. In case the category parameters are specifying any requirements regarding the installations, training and manuals the same shall also be applicable.
10. Electrical safety checking: Sellers are required to make sure that they furnish the list of equipments for carrying out routine and preventive maintenance to buyer/consignee. They should make sure to periodically check the electrical safety aspects as per BIS Safety Standards or equivalent. In case they do not have required equipment for such testing should ensure that the equipments checked for electrical safety compliance through labs with facilities for such checking during every preventive maintenance call.
11. Software: All software updates should be provided free of cost during warranty period.
12. Any other Terms and Conditions which is not included or at variance with the conditions specified in STC/GTC, may be added by the buyer through Additional Terms and Conditions in the bid to ensure items are procured from authentic/validated source with appropriate and applicable quality. The above terms and conditions are in reverse order of precedence i.e. ATC shall supersede specific STC which shall supersede General Terms and Conditions ("GTC"), whenever there are any conflicting provisions.

2. General Terms and Conditions-

2.1 This contract is governed by the General Terms and Conditions, conditions stipulated to this Product/Service as provided in the Marketplace.

2.2 This Contract between the Seller and the Buyer, is for the supply of the Goods and/ or Services, detailed in the schedule above, in accordance with the General Terms and Conditions (GTC) unless otherwise superseded by Goods / Services specific Special Terms and Conditions (STC) and/ or BID/Reverse Auction Additional Terms and Conditions (ATC), as applicable

2.3 All GeM Sellers/Service Providers shall ensure full compliance with all applicable labour laws, including the provisions, rules, schemes and guidelines under the four Labour Codes i.e. the Code on Wages, 2019; the Industrial Relations Code, 2020; the Occupational Safety, Health and Working Conditions Code, 2020; and the Code on Social Security, 2020 as and when notified and brought into force by the Government of India.

For all provisions of the Labour Codes that are pending operationalisation through rules, schemes or notifications, the corresponding provisions of the pre-existing labour enactments (such as The Minimum Wages Act, 1948, The Payment of Wages Act, 1936, The Payment of Bonus Act, 1965, The Equal Remuneration Act, 1976, The Payment of Gratuity Act, 1972, etc. and relevant State Rules) shall continue to remain applicable.

The Seller/ Service Providers shall, therefore, be responsible for ensuring compliance under:

- All notified and enforceable provisions of the new Labour Codes as mentioned hereinabove; and
- All operative provisions of the erstwhile Labour Laws until their complete substitution.

All obligations relating to wages, social security, safety, working conditions, industrial relations etc. and any other statutory requirements shall be strictly met by the Seller/ Service Provider. Any non-compliance shall constitute a breach of the contract and shall entitle the Buyer to take appropriate action in accordance with the contract and applicable law.

Note:

1. Sellers are required to raise invoices online as per the contract terms on GeM portal. Timely invoice submission is mandatory for compliances, smooth payment processing, and will also contribute to improving their ratings.

नोट: यह सिस्टम जनरेटेड फाइल है। कोई हस्ताक्षर की आवश्यकता नहीं है। इस दस्तावेज़ का प्रिंट आउट भुगतान/लेनदेन उद्देश्य के लिए मान्य नहीं है।

Note: This is system generated file. No signature is required. Print out of this document is not valid for payment/ transaction purpose.

Dr. Tandel Piteshkumar Shantilal, Sr. SO

File no - 5-19/26-27/ST

Comp no - 451435

Note # 4

Date - 13/08/26

fund - PMMSY Aqua Lab (4001/578)